



lab@midwestdentalarts.com
photos@midwestdentalarts.com
888-773-1122

All products are manufactured in the Midwest Dental Arts facility. There is no outsourcing to China! Everything is made in the USA!

PATIENT'S NAME _____
DOCTOR'S NAME _____ DATE TO BE RETURNED _____

- LAYERED:** LAYERED PRESSABLE / EMAX PFM ZIRCONIA
FULL CONTOUR (STAIN): PRESSABLE / EMAX ZIRCONIA
PFM/FC ALLOY: NON PRECIOUS NOBLE HIGH NOBLE
OCCLUSAL ANATOMY:
 WORN LIGHT COPY EXISTING EXAGGERATED (virgin moderate/heavy)
PONTIC DESIGN:
 RIDGE RELIEF: SCRAPE SOCKET NONE
 FULL RIDGE PARTIAL RIDGE NO RIDGE NO CONTACT POINT CONTACT
-

FRAMEWORK DESIGN:



- LINGUAL METAL BAND: 0.5 1.0 2.0
 FACIAL METAL BAND: 0.3 0.5 1.0
 NO FACIAL METAL
 NO COLLAR 360°
 PORCELAIN SHOULDER
 BUCCAL
 360°
 CROWN / FIT PARTIAL
 METAL OCCLUSAL / LINGUAL
 REST
- ARTICULATOR:**
 PANADENT STRATOS
 DENAR WHIP MIX
 ARTEX KAVO
 HANAU PLASTIC
 ENCLOSED, SERIAL # _____

RETURN FOR MOUNTING DIE TRIM METAL TRY-IN
 BISQUE BAKE CHECK

ENCLOSED PARTS

ATTACHMENT TYPE

IMPLANT DESIGN:

- SCREW RETAINED
 CUSTOM ABUTMENT
 SCREWMENTATIONS

MATERIAL:

- ZIRCONIA
 TITANIUM
 PRESSABLE

**MULTIPLE UNIT CASES SHOULD HAVE
FULL ARCH IMPRESSIONS AND FACE BOW FOR PREDICTABLE RESULTS**

FOR LAB USE

- ABUTMENT DIE IMPRESSION POST PHOTOS/CD
 ARTICULATOR DOUBLE IMP SCREW POST
 BITE FACEBOW MODEL/SOLID PUTTY MATRIX
 CROWN/BRIDGE IMPRESSION PARTIAL/DENTURE SHADE TAB
 TEETH IN WAX

INSTRUCTIONS:


MALE FEMALE AGE () _____ PHOTOS ENCLOSED _____
PHOTOS EMAILED _____

SHADE _____

SHADE TAB ENCLOSED _____ STUMP SHADE _____

PATIENT DESIRES:


- NATURAL CHARACTERIZED SHADE
 COPY NATURAL ALIGNMENT
 STRAIGHT ALIGNMENT
 OVERLAPPED
 OCC. STAIN - YES NO



DATE SENT _____

DR'S SIGNATURE & # _____

PLEASE SEND: PRESCRIPTIONS BOXES SHIPPING LABELS



DATE RECEIVED BY LAB

MDA-RX-12/16

